

FRENCH LAB - Gamme XCALIBUR CONCENTRE - E-liquide EREC

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No. 2020/878)

Version:1

Version date:13/12/2021

Language:EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : FRENCH LAB - Gamme XCALIBUR CONCENTRE - E-liquide EREC.
Article No (user) : 202468.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Electronic cigarette liquid.
Uses advised against : No data available.

1.3. Details of the supplier of the safety data sheet

Supplier : Name: FRENCH LAB
Street: 63 bis Bd Bessières
Postal code/City: 75017 PARIS
Country: France :
Telephone: 0184798589
E-mail: contact@frenchlab.co

1.4. Emergency Telephone Number

European Union:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazards identification

Classification

Skin Sens. 1A
Aquatic Chronic 3

Hazard statements (H)

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects

2.2. Label elements

Labelling

Hazard pictograms



Signal word

Warning

Product identifiers

CAS N°:3658-77-3 4-hydroxy-2,5-dimethylfuran-2(3H)-one

Hazard Statements

H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects

Supplemental Hazard information (EU)

-

Precautionary Statements - General

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.

Precautionary Statements - Prevention

P264 - Wash your hands after handling
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.

Precautionary Statements - Response

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water/...
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Storage

-

Precautionary Statements - Disposal

P501 - Dispose of contents/container to a waste collection point in accordance with local, national or international regulations.

2.3. Other hazards

Not available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance	C (%)	Classification	Specific concentration limits	Note
2-isopropyl-N,2,3-trimethylbutyramide CAS N°:51115-67-4 EC N°:256-974-4 IDX N°:	2.5% ≤C< 5.0%	H302: Harmful if swallowed	-	-
propane-1,2-diol CAS N°:57-55-6 EC N°:200-338-0 IDX N°:	1.0% ≤C< 2.5%	-	-	[1]
propan-2-ol CAS N°:67-63-0 EC N°:200-661-7 IDX N°:603-117-00-0	1.0% ≤C< 2.5%	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation H336: May cause drowsiness or dizziness	-	[1]
4-hydroxy-2,5-dimethylfuran-2(3H)-one CAS N°:3658-77-3 EC N°:222-908-8 IDX N°:	1.0% ≤C< 2.5%	H317: May cause an allergic skin reaction. H319: Causes serious eye irritation	-	-
allyl hexanoate CAS N°:123-68-2 EC N°:204-642-4 IDX N°:	1.0% ≤C< 2.5%	H301: Toxic if swallowed. H311: Toxic in contact with skin. H331: Toxic if inhaled. H400: Very toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects	-	-
linalool CAS N°:78-70-6 EC N°:201-134-4 IDX N°:603-235-00-2	C< 1.0%	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation	-	-
(R)-p-mentha-1,8-diene CAS N°:5989-27-5 EC N°:227-813-5 IDX N°:601-029-00-7	C< 1.0%	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects	-	-
p-mentha-1,4(8)-diene CAS N°:586-62-9 EC N°:209-578-0 IDX N°:	C< 1.0%	H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	-	-
diphenyl ether CAS N°:101-84-8 EC N°:202-981-2 IDX N°:	C< 1.0%	H319: Causes serious eye irritation H400: Very toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects	-	-
pin-2(3)-ene CAS N°:80-56-8 EC N°:201-291-9 IDX N°:	C< 1.0%	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction.	-	-

		H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.		
isobutyric acid CAS N°:79-31-2 EC N°:201-195-7 IDX N°:607-063-00-9	C< 1.0%	H302: Harmful if swallowed H312: Harmful in contact with skin.	-	-
acetic acid CAS N°:64-19-7 EC N°:200-580-7 IDX N°:607-002-00-6	C≤ 1.0%	H226: Flammable liquid and vapour. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage.	-	-
decan-4-olide CAS N°:706-14-9 EC N°:211-892-8 IDX N°:	C≤ 1.0%	-	-	-

[1] Substance for which maximum workplace exposure limits are available.

3.2. Mixtures

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

3.3. Remark

Text phrases and H- EUH-: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	:	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered.
Following inhalation	:	Remove person to fresh air and keep comfortable for breathing.
Following skin contact	:	Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing. In case of skin reactions, consult a physician.
Following eye contact	:	In case of eye irritation consult an ophthalmologist. Rinse immediately carefully and thoroughly with eye-bath or water.
Following ingestion	:	Never give anything by mouth to an unconscious person or a person with cramps. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Self-protection of the first aider	:	First aider: Pay attention to self-protection!.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	:	Treat symptomatically.
----------------------	---	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.
Unsuitable extinguishing media	:	Strong water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale vapors and fumes. Co-ordinate fire-fighting measures to the fire surroundings. Move undamaged containers from immediate hazard area if it can be done safely. Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove persons to safety. Use appropriate respiratory protection. Provide adequate ventilation.

6.2. Environmental precautions

Ensure that waste is collected and contained. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Avoid release to the environment. Cover drains. Ensure all waste water is collected and treated via a waste water treatment plant. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. Contain leaks or spills within cabinets with removable trays.

6.3. Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal. Collect in closed and suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wipe up with absorbent material (eg. cloth, fleece).

6.4. Reference to other sections

Safe handling: see section 7. Disposal: see section 13. Personal protection equipment: see section 8.

6.5. Additional information

Not available

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

PROTECTIVE MEASURES

Avoid contact with skin, eyes and clothes.
Wear personal protective clothing (see section 8).
Sewers and ducts must be protected against the entry of the product.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Provide for retaining containers, eg. floor pan without outflow.
Use only in well-ventilated areas.
If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.
Provide adequate ventilation as well as local exhaustion at critical locations.
Vapours/aerosols should be exhausted directly at the point of origin.
Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene

Wash hands before breaks and after work.
Street clothing should be stored separately from work clothing.
Wash contaminated clothing before reuse.
Remove contaminated, saturated clothing immediately.
Work in well ventilated zones or use proper respiratory protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place. Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels

Use isolated drainage to prevent discharge to soil.
Ensure adequate ventilation of the storage area.

Advice on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Substance	Value	Unit	Type
propan-2-ol CAS: 67-63-0 (IE)	200	ppm	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (IE)	200	ppm	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (IE)	400	ppm	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (IE)	400	ppm	Exposure limit (15 minutes)

propan-2-ol CAS: 67-63-0 (GB)	400	ppm	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (GB)	999	mg/m ³	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (GB)	200	ppm	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (GB)	730	mg/m ³	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (GB)	500	ppm	Exposure limit (15 minutes)
propan-2-ol CAS: 67-63-0 (GB)	1,250	mg/m ³	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (GB)	400	ppm	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (GB)	1,460	mg/m ³	Exposure limit (15 minutes)
acetic acid CAS: 64-19-7 (EU)	10	ppm	Exposure limit (8 hours)
acetic acid CAS: 64-19-7 (EU)	25	mg/m ³	Exposure limit (8 hours)
diphenyl ether CAS: 101-84-8 (EU)	1	ppm	Exposure limit (8 hours)
diphenyl ether CAS: 101-84-8 (EU)	7	mg/m ³	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (EU)	200	ppm	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (EU)	734	mg/m ³	Exposure limit (8 hours)
acetic acid CAS: 64-19-7 (EU)	20	ppm	Exposure limit (15 minutes)
acetic acid CAS: 64-19-7 (EU)	50	mg/m ³	Exposure limit (15 minutes)
diphenyl ether CAS: 101-84-8 (EU)	2	ppm	Exposure limit (15 minutes)
diphenyl ether CAS: 101-84-8 (EU)	14	mg/m ³	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (EU)	400	ppm	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (EU)	1,468	mg/m ³	Exposure limit (15 minutes)
propane-1,2-diol CAS: 57-55-6 (IE)	470	mg/m ³	Exposure limit (8 hours)
propane-1,2-diol CAS: 57-55-6 (IE)	150	ppm	Exposure limit (8 hours)
propane-1,2-diol CAS: 57-55-6 (GB)	474	mg/m ³	Exposure limit (8 hours)
propane-1,2-diol CAS: 57-55-6 (GB)	150	ppm	Exposure limit (8 hours)

Not available

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

Personal protection equipment



Eye/face protection

Skin protection

: Suitable eye protection: No data available

: Hand protection: Wear protective gloves.

Hand protection: Do not wear gloves near machines and rotating tools.

Hand protection: Use gloves only once.

Hand protection: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Hand protection: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Hand protection: For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Hand protection: Breakthrough times and swelling properties of the material must be taken into consideration. Body protection: Lab coat.

Respiratory protection

:

Respiratory protection necessary at: If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus: Wear respiratory protection. Remark: The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Remark: Observe the wear time limits as specified by the manufacturer.

Remark: Use only respiratory protection equipment with CE-symbol including four digit test number.

8.3. Additional information

Not available

SECTION 9: Physical and chemical Properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Not available
Odour:	Not available
Odour threshold:	Not available
pH:	Not available
Melting point/freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	Not available
Evaporation rate:	Not available
Flammability:	Not available
Upper/lower flammability or explosive limits:	Not available
Vapour pressure:	Not available
Vapour density:	Not available
Relative density:	Not available
Solubility(ies):	Not available
Partition coefficient: n-octanol/water (Log KOC):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available
Solubility in other Solvents:	Not available
Log Kow:	Not available

9.2. Other safety information

Not available

SECTION 10: Stability and Reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable when stored at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

10.7. Additional information

Not available

SECTION 11: Toxicological information

11.1. Acute oral toxicity

Data for mixture

Not available

Substances

Not available

11.2. Acute skin toxicity

Data for mixture

Not available

Substances

Not available

11.3. Acute inhalation toxicity

Data for mixture

Not available

Substances

Not available

11.4. Skin corrosion

Data for mixture

Not available

Substances

Not available

11.5. Eye damage

Data for mixture

Not available

Substances

Not available

11.6. Skin sensitisation

Data for mixture

Not available

Substances

Not available

11.7. STOT SE

Data for mixture

Not available

Substances

Not available

11.8. STOT RE

Data for mixture

Not available

Substances

Not available

11.9. Carcinogenicity

Data for mixture

Not available

Substances

Not available

11.10. Reproductive and Developmental Toxicity

Data for mixture

Not available

Substances

Not available

11.11. Genotoxicity

Data for mixture

Not available

Substances

Not available

11.12. Respiratory sensitisation

Data for mixture

Not available

Substances

Not available

Serious eye damage/irritation

The product is not classified.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

12.7. Additional ecotoxicological information

Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

For recycling, contact manufacturer.

Collect the waste separately.

Consult the appropriate authorities about waste disposal.

Do not mix with other wastes.

The waste is to be kept separate from other types of waste until its disposal.

Concerning the waste it has to be checked, whether a transport authorisation is required.

13.2. Additional information

Not available

SECTION 14: Transport information

14.1. UN number

Not available

14.2. UN proper shipping name

Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

Not available

14.6. Special precautions for user

Not available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

14.8. Additional information

Not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006. This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation

Regulation: Directive n°648/2004 (Allergenic fragrance ingredients N°1223/2009)

Substance	CAS	EC
linalool	78-70-6	201-134-4
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5

Regulation: REACH : Annex XVII (Restrictions)

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
acetic acid	64-19-7	200-580-7
ethyl acetate	141-78-6	205-500-4
propan-2-ol	67-63-0	200-661-7

National regulations

Regulation: Texas_Aerosol, paint and glue

Substance	CAS	EC
ethyl acetate	141-78-6	205-500-4
propan-2-ol	67-63-0	200-661-7

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. For this substance/mixture a chemical safety assessment has been elaborated. For this mixture, the relevant data of the Substances' Chemical safety assessment are integrated in the sections of the SDS.

15.3. Additional information

Not available

SECTION 16: Other information

Creation date: 13/12/2021
Version date: 13/12/2021
Printing date: 13/12/2021

16.1. Indication of changes

Not applicable (first edition of the MSDS).

16.2. Abbreviations and acronyms

CAS: Chemical Abstract Service Number. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods Code. DPD: Dangerous Preparation Directive. UN number: United Nations number. No EC: European Commission Number. ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways. ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail. CLP: Classification, labeling and packaging. VPvB: very persistent and very bioaccumulative substances.

16.3. Key literature references and sources for data

No data available.

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

H225	Flam. Liq. 2	Highly flammable liquid and vapour.
H226	Flam. Liq. 3	Flammable liquid and vapour.
H301	Acute Tox. 3 ORAL	Toxic if swallowed.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H304	Asp. Tox. 1	May be fatal if swallowed and enters airways.
H311	Acute Tox. 3 DERMAL	Toxic in contact with skin.
H312	Acute Tox. 4 DERMAL	Harmful in contact with skin.
H314	Skin Corr. 1A	Causes severe skin burns and eye damage.
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1A	May cause an allergic skin reaction.
H319	Eye Irrit. 2	Causes serious eye irritation
H331	Acute Tox. 3 INHALATION	Toxic if inhaled.
H336	STOT SE 3 H336	May cause drowsiness or dizziness
H400	Aquatic Acute 1	Very toxic to aquatic life.
H410	Aquatic Chronic 1	Very toxic to aquatic life with long lasting effects.
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

16.6. Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

16.7. Additional information

Not available

The information given in this Safety Data Sheet is based on our present knowledge and on european and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsibility of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.